

## 11.1. RECOMMENDATION:

## Should AUXILIARY NURSES administer intravenous fluid for resuscitation as part of postpartum haemorrhage treatment?

**Problem**: Poor access to treatment for post-partum haemorrhage **Option**: Auxiliary nurses administering intravenous fluid for resuscitation **Comparison**: Care delivered by other cadres or no care

Setting: Community/primary health care settings in LMICs with poor access to health professionals

Recommendation	We recommend against the option	We suggest considering the option with targeted monitoring and evaluation	We recommend the option
			$\square$
	We recommend this option. We suggest implementing this intervention where auxiliary nurses are already an established cadre and where a well-functioning referral system is in place or can be put in place. This intervention should be operationalised in the context of the WHO PPH guidelines, which outline a comprehensive approach to managing PPH.		
Justification	There is insufficient evidence on the effectiveness and acceptability of auxiliary nurses administering intravenous fluid for resuscitation, as part of PPH treatment. However, the panel considered this intervention to be part of the core skills of auxiliary nurses. In addition, it is probably feasible and may also reduce inequalities by extending care to underserved populations.		
Implementation considerations	The following should be considered when using auxiliary nurses to administer intravenous fluid for resuscitation:  The relevant professional bodies should be involved in the planning and implementation of the intervention to ensure acceptability among affected health workers  The distribution of roles and responsibilities between auxiliary nurses and other health workers needs to be made clear, including through regulations and job descriptions  Changes in regulations may be necessary to support any changes in auxiliary nurses' scope of practice  Implementation needs to be in the context of a comprehensive remuneration scheme, in which salaries or incentives reflect any changes in scope of practice. Giving incentives for certain tasks but not for others may negatively affect the work that is carried out  Referral systems need to function well, i.e. financial, logistical (e.g. transport) and relational barriers need to be addressed. Specifically, local health systems need to be strengthened to improve quality of care at the first referral facility  Supplies of drugs and other commodities need to be secure  Responsibility for supervision needs to be clear and supervision needs to be regular and supportive  Auxiliary nurses and their supervisors need to receive appropriate initial and ongoing training		
Monitoring and evaluation	<del>-</del>		
Research priorities	-		